

ELEVATION AT ABUTMENT

(10 Required)

SHIM P TABLE

Beam	S. Abul.	Pier 1	Pier 2	N. Abut.	
1					
2	2"	12"	12"		
3					
4	· · · · · · · · · · · · · · · · · · ·				
5					

Notes:

Anchor bolts shall be ASTM F1554 all-thread (or an Engineer-approved afternate material) of the grade(s) and diameter(s) specified. The corresponding specified grade of AASHTO M314 anchor bolts may be used in lieu of ASTM F1554.

Anchor bolts at fixed bearings may be either cast in place or installed in holes drilled after the supported member is in place.


Drilled and set anchor bolts shall be installed according to Article 521.06 of the Standard Specifications.


The structural sieel bearing plates shall conform to the requirements of AASHTO M270 Grade 50W.

Anchors shall be set and grout cured for a minimum

of 24 hours prior to forming the bridge deck.

Two $l_{\rm B}^{\prime\prime}$ in, adjusting shims shall be provided for each bearing in addition to all other plates or shims and placed as shown on bearing details.





BILL OF MATERIAL

ITEM	UNIT	TOTAL	
Anchor Bolts, 1"	EACH	40	

FIXED BEARING

BEARING DETAILS C.H. 2 OVER SUGAR CREEK SECTION 07-00073-00-BR SCHUYLER COUNTY STATION 20+00.00

	SHEET NO.12	ROUTE NO.	SECTION		COUNTY	TOTAL SHEET SHEETS NO.		
000	art that are to the same	CH 2	07-0007	3-00-BR		SCHUYLER	35	18
	17 SHEETS	SN 085-3056			CONTRACT NO. 93584			
		FED. ROAD DIST. NO. 7 ILLINOIS FED. AID PROJECT					BRS-04550	107)

29505012